	Application No.	Applicant(s)
Notice of Allowability	09/652,850	HODGINS ET AL.
	Examiner	Art Unit
	Phuongchau Ba Nguyen	2665
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>8-31-00 & interview 9-29-04.</u>		
2. The allowed claim(s) is/are 49-50, 52-57, 59-62; Renumbered as 1-12 respectively.		
3. The drawings filed on 31 August 2000 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. 08/979,474. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 8-31-00 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☑ Interview Summ Paper No./Mail 8), 7. ☑ Examiner's Ame	Date <u>9-29-04</u> .
- Listagradi Matariai	. <u> </u>	

Application/Control Number: 09/652,850 Page 2

Art Unit: 2665

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview

with Mr. Frommer on 9-29-04.

3. The application has been amended as follows:

Claim 49, line 12:

----, wherein the command causes inserting a Rate Change Indicator into

a specific location in the data read from the buffer for notifying a distant

terminal the rate changes at that moment ---- had been inserted after the

word "buffer".

Claim 56, line 9:

----, wherein the command causes inserting a Rate Change Indicator into

a specific location in the data read from the buffer for notifying a distant

terminal the rate changes at that moment ---- had been inserted after the

word "command".

Claims 51 & 58 had been canceled

Application/Control Number: 09/652,850

Art Unit: 2665

4. The following is an examiner's statement of reasons for allowance:

Regarding claims 49-50, 52-57, 59-62, the prior art fails to teach or suggest a method or apparatus for delivering data comprising "the command causes inserting a Rate Change Indicator into a specific location in the data read from the buffer for notifying a distant terminal the rate changes at that moment," in combination with other limitations, as specified in the independent claims 49 and 56.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phuongchau Ba Nguyen whose telephone number is 571-272-3148. The examiner can normally be reached on Monday-Friday from 10:00 a.m. to 2:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on 571-272-3155. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/652,850

Art Unit: 2665

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Phuongchau Ba Nguyen Examiner Art Unit 2665

DUCHO PRIMARY EXAMINER

> Suchtto-9-29-04